

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	10/627117	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 13:09
S2	4	("6,785,680" "6,275,825" "200310097596" 2003/0154446 2003/0224823).pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 13:10
S3	5	"200310097596" "20030154446" "20030224823"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 13:11
S5	3	"20030097596"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 13:11
S6	36	("6023147" "5023824" "7069585" "4974161" "5012349" "5133076" "5155659" "5159624" "5341410" "5914706" "6049813" "6095985" "6375344" "6484260" "6973306" "7073717" "5511689" "5715841" "5732716" "3924111" "5179517" "5353334" "5640444" "5717307" "6072791" "6301472" "6348923" "6519650" "6956833" "7035668" "7079810" "7093298" "3731064" "6721286" "5550911" "6119941").pn.	USPAT	OR	ON	2007/05/25 13:27
S7	146	data near2 assemblage\$4 and @ad<"20030724"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 13:28
S8	31	(access\$4 display\$4 protect\$4) same data near2 assemblage\$4 and @ad<"20030724"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 13:34
S9	1906	auto\$7 with pass\$5 with protect\$4 and @ad<"20030724"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 13:35
S10	277	auto\$7 with pass\$5 with protect\$4 and (sms mms instant near message bookmark\$3) and @ad<"20030724"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 13:40

EAST Search History

S11	3	"707".clas. and auto\$7 with pass\$5 with protect\$4 and (sms mms instant near message bookmark\$3) and @ad<"20030724"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 16:22
S13	2	auto\$7 with pass\$5 with protect\$4 and security adj mechanism and (sms mms instant near message bookmark\$3) and @ad<"20030724"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 13:39
S14	5	auto\$7 with pass\$5 with protect\$4 same (sms mms instant near message bookmark\$3) and @ad<"20030724"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 14:59
S17	24	707/9.ccls. and auto\$7 with protect\$4 and @ad<"20030724"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 14:01
S18	135	707/9.ccls. and auto\$7 with access\$4 and @ad<"20030724"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 13:44
S19	40	autoprotect\$4 and @ad<"20030724"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 14:03
S20	3818	portable near device same access\$4 and @ad<"20030724"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 14:04
S21	244	portable near device same access\$4 same auto\$6 and @ad<"20030724"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 14:29
S24	3	portable near device same access\$4 and autolock\$4 and @ad<"20030724"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 14:23
S25	187	autolock\$4 and @ad<"20030724"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 14:24
S26	1	"7047426".PN.	USPAT; USOCR	OR	ON	2007/05/25 14:28

EAST Search History

S27	1	"6504480".PN.	USPAT; USOCR	OR	ON	2007/05/25 14:28
S28	1	"6370250".PN.	USPAT; USOCR	OR	ON	2007/05/25 14:28
S29	1	"6501380".PN.	USPAT; USOCR	OR	ON	2007/05/25 14:29
S30	1	"4634807".PN.	USPAT; USOCR	OR	ON	2007/05/25 14:29
S31	1	"6370402".PN.	USPAT; USOCR	OR	ON	2007/05/25 14:29
S32	1635	restrict\$4 same subsequent same (access\$4 display\$4) and @ad<"20030724"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 14:30
S33	44	restrict\$4 same subsequent same (access\$4 display\$4) and portable near device and @ad<"20030724"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 14:39
S34	35187	automatically with restrict\$ (display\$4 access\$5) and portable near device and @ad<"20030724"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 14:40
S35	9	automatically with restrict\$ with (display\$4 access\$5) and portable near device and @ad<"20030724"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 14:42
S36	26	subsequent\$4 with restrict\$ with (display\$4 access\$5) and portable near device and @ad<"20030724"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 14:43
S37	132	auto\$7 with access near right and @ad<"20030724"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 15:00
S38	294	automat\$7 with access near right and @ad<"20030724"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 15:00
S39	124	automat\$7 near3 access near right and @ad<"20030724"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 15:15

EAST Search History

S40	2714	display adj attribute and @ad<"20030724"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 15:17
S41	237	display adj attribute same access\$4 and @ad<"20030724"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 15:16
S42	51	"707".clas. and display adj attribute same access\$4 and @ad<"20030724"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 15:22
S43	2714	"display attribute" and @ad<"20030724"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 15:18
S44	1416	"display attribute" and @ad<"20030724"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/05/25 15:18
S45	16	first with display adj attribute same access\$4 and @ad<"20030724"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 15:30
S46	59	first adj3 display adj attribute and @ad<"20030724"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 15:24
S47	1085	first with access\$4 with attribute and @ad<"20030724"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 15:31
S48	289	"707".clas. and first with access\$4 with attribute and @ad<"20030724"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 15:31
S49	31	707/9.ccls. and first with access\$4 with attribute and @ad<"20030724"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 15:44

EAST Search History

S50	22413	access\$4 same (sms mms instant adj messag\$4 bookmark\$1) and @ad<"20030724"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 15:45
S51	32517	access\$4 same (sms mms instant adj messag\$4 bookmark\$1) same first (read view display) with attribute and @ad<"20030724"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 15:48
S52	13139	access\$4 same (sms mms instant adj messag\$4 bookmark\$1) same first (read view display) near attribute and @ad<"20030724"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 15:46
S53	7572	access\$4 with (sms mms instant adj messag\$4 bookmark\$1) same first (read view display) near attribute and @ad<"20030724"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 15:48
S54	6514	access\$4 with (sms mms instant adj messag\$4 bookmark\$1) with first (read view display) near attribute and @ad<"20030724"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 15:47
S55	5816	access\$4 near (sms mms instant adj messag\$4 bookmark\$1) with first (read view display) near attribute and @ad<"20030724"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 15:47
S56	5741	access\$4 near (sms mms instant adj messag\$4 bookmark\$1) near first (read view display) near attribute and @ad<"20030724"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 16:11
S60	6	access\$4 same (sms mms instant adj messag\$4 bookmark\$1) same first same (read view display) with attribute and @ad<"20030724"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/26 09:28
S61	36	("6023147" "5023824" "7069585" "4974161" "5012349" "5133076" "5155659" "5159624" "5341410" "5914706" "6049813" "6095985" "6375344" "6484260" "6973306" "7073717" "5511689" "5715841" "5732716" "3924111" "5179517" "5353334" "5640444" "5717307" "6072791" "6301472" "6348923" "6519650" "6956833" "7035668" "7079810" "7093298" "3731064" "6721286" "5550911" "6119941").pn.	USPAT	OR	ON	2007/05/25 15:51
S62	83	data near assemblage and @ad<"20030724"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 15:54

EAST Search History

S63	282	automatically with restrict\$ with access and @ad<"20030724"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 16:37
S64	17	automatically adj2 restrict\$ adj3 access and @ad<"20030724"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 15:56
S65	3104	first near display with indicat\$4 and @ad<"20030724"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 15:56
S67	426	first near display near indicat\$4 and @ad<"20030724"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 15:57
S68	6	first near display near indicat\$4 same access\$4 and @ad<"20030724"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 16:00
S69	36	automatic\$5 near access near set\$4 and @ad<"20030724"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 16:08
S70	2659	portable adj device same access\$4 and @ad<"20030724"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 16:08
S71	31	automat\$6 same restrict same (sms mms instant adj messag\$4 bookmark\$1)and @ad<"20030724"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 16:11
S72	2	"7159120".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 16:19
S73	1	"6504480".PN.	USPAT; USOCR	OR	ON	2007/05/25 16:20
S74	1	"6370402".PN.	USPAT; USOCR	OR	ON	2007/05/25 16:22

EAST Search History

S75	2603	(portable with device with data).ti. and @ad<"20030724"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 16:23
S76	47	(portable with device with data near (protect\$4 control\$4)).ti. and @ad<"20030724"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 16:26
S77	9329	(auto\$5 and (lock\$4 protect\$4)).ti. and @ad<"20030724"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 16:27
S78	24	(automat\$5 near (lock\$4 protect\$4) and (data file)).ti. and @ad<"20030724"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 16:27
S79	115	automatically with restrict\$ with read\$4 and @ad<"20030724"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 16:40
S80	97	automatically with password with protect\$4 and @ad<"20030724"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 16:52
S81	2444	automatically with set\$4 with access\$4 and @ad<"20030724"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 16:53
S82	521	(automatically with set\$4 with access\$4).ab. and @ad<"20030724"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 16:54
S83	25	(automatically with set\$4 with access\$4 with right).ab. and @ad<"20030724"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 16:59
S84	491	automatic\$6 with restrict\$4 with access\$4 and @ad<"20030724"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 16:59

EAST Search History

S85	74	(automatic\$6 with restrict\$4 with access\$4).ab. and @ad<"20030724"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 17:09
S86	1580	(read unread) near attribute and @ad<"20030724"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 17:11
S87	248	(read unread) near attribute same access and @ad<"20030724"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 17:09
S88	4	(read unread) near attribute same restrict\$4 with access\$4 and @ad<"20030724"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 17:10
S89	0	(read and unread) near attribute and @ad<"20030724"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 17:11
S90	2917	(read and unread) with attribute and @ad<"20030724"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 17:13
S91	18	(read and unread) with attribute and @ad<"20030724"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 17:12
S92	0	707/9.ccls. and (read near unread) same attribute and @ad<"20030724"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 17:12
S93	0	707/9.ccls. and (read and unread) same attribute and @ad<"20030724"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 17:12
S94	0	707/9.ccls. and (read same unread) same attribute and @ad<"20030724"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 17:12

EAST Search History

S95	36	(read and unread) same attribute and @ad<"20030724"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 17:19
S96	26254	assemblage and @ad<"20030724"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 17:19
S97	509	assemblage with (access\$4 restrict\$4) and @ad<"20030724"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 17:19
S98	111	assemblage with (access\$4 restrict\$4) and automatically and @ad<"20030724"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 17:27
S99	1	assemblage with (access\$4 restrict\$4) and automatically with restrict\$4 and @ad<"20030724"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 17:20
S100	2385	subsequent\$5 near lock\$4 and @ad<"20030724"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 17:27
S101	135	subsequent\$5 near lock\$4 same automatic\$6 and @ad<"20030724"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 17:33
S102	10	automatically near3 setting near3 password and @ad<"20030724"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 17:34
S103	1416	automatically near3 restrict\$4 and @ad<"20030724"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 17:35
S104	46	"707".clas. and automatically near3 restrict\$4 and @ad<"20030724"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 17:37

EAST Search History

S10 5	548	auto adj lock\$4 and @ad<"20030724"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 17:37
S10 6	267164	"707".clas. an dauto adj lock\$4 and @ad<"20030724"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 17:37
S10 7	0	"707".clas. and dauto adj lock\$4 and @ad<"20030724"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 17:37
S10 8	0	"707".clas. and auto adj lock\$4 and @ad<"20030724"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/25 17:37
S10 9	54	file same (autolock auto adj lock automatic\$4 adj4 lock) and @ad<"20030724"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/26 10:02
S11 0	13693	portable near3 device near3 (data information) and @ad<"20030724"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/26 09:42
S11 1	542710	(access\$4 and protect\$4) portable near3 device near3 (data information) and @ad<"20030724"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/26 09:43
S11 2	120	(access\$4 and protect\$4) same portable near3 device near3 (data information) and @ad<"20030724"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/26 09:58
S11 3	4	10/304,772	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/26 09:52
S11 4	2	"7159120".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/26 09:55
S11 5	1	"4634807".PN.	USPAT; USOCR	OR	ON	2007/05/26 09:55

EAST Search History

S11 6	1	"5355414".PN.	USPAT; USOCR	OR	ON	2007/05/26 09:55
S11 7	1	"6249868".PN.	USPAT; USOCR	OR	ON	2007/05/26 09:56
S11 8	1	"6370250".PN.	USPAT; USOCR	OR	ON	2007/05/26 09:57
S11 9	1	"6370250".PN.	USPAT; USOCR	OR	ON	2007/05/26 09:57
S12 0	1	"6370402".PN.	USPAT; USOCR	OR	ON	2007/05/26 09:57
S12 1	1	"6501380".PN.	USPAT; USOCR	OR	ON	2007/05/26 09:57
S12 2	1	"6504480".PN.	USPAT; USOCR	OR	ON	2007/05/26 09:57
S12 3	1	"7047426".PN.	USPAT; USOCR	OR	ON	2007/05/26 09:58
S12 4	889	(mark\$4 tag\$4 flag\$4) near (read viewed displayed) with (message msg file) and @ad<"20030724"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/26 10:00
S12 5	54	(mark\$4 tag\$4 flag\$4) near (read viewed displayed) with (message msg file) same automatic\$6 and @ad<"20030724"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/26 10:00
S12 6	79163	(assemblage file message) same (autolock auto adj lock automatic\$4 adj4 lock automatically restrict\$4) and @ad<"20030724"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/26 10:05
S12 7	5	(assemblage file message) same (autolock auto adj lock automatic\$4 adj4 lock) and automatically with restrict\$4 and @ad<"20030724"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/26 10:07
S12 8	103	(auto automat\$6) near (lock restrict\$4) same (message file) and @ad<"20030724"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/26 10:23
S12 9	3475	(sms mms) adj message and @ad<"20030724"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/26 10:23
S13 0	265	automat\$5 same restrict same access\$4 and @ad<"20030724"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/26 19:57
S13 1	240	automat\$5 same restrict same access\$4 and @ad<"20030724"	US-PGPUB; USPAT	OR	ON	2007/05/26 19:39

EAST Search History

S13 2	65	automat\$5 same restrict same access\$4 and (portable mobile palm) with device and @ad<"20030724"	US-PGPUB; USPAT	OR	ON	2007/05/26 19:40
S13 3	64	automat\$5 with restrict same access\$4 and @ad<"20030724"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/26 19:58
S13 4	184	automat\$6 with restrict same access\$4 and @ad<"20030724"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/26 20:03
S13 5	2982	automat\$6 with lock\$4 same access\$4 and @ad<"20030724"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/26 20:03
S13 6	640	automat\$6 with lock\$4 same access\$4 same (data information) and @ad<"20030724"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/26 20:03
S13 7	105	automat\$6 with lock\$4 same access\$4 same (data information) and (portable mobile) near3 device and @ad<"20030724"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/26 20:15
S13 8	2	autolock with attribute and @ad<"20030724"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/26 20:15
S13 9	7252	automat\$8 with attribute and @ad<"20030724"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/26 20:16
S14 1	3186	(data information) with automat\$8 with attribute and @ad<"20030724"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/26 20:18
S14 2	353	(data information) with automat\$8 with (access\$4 restrict\$4 view\$4) with attribute and @ad<"20030724"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/26 20:19
S14 3	46	(data information) with automat\$8 with set\$4 with (access\$4 restrict\$4 view\$4) with attribute and @ad<"20030724"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/26 20:29

EAST Search History

S14 4	214119	(first and second) near3 (view display access) and @ad<"20030724"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/26 20:30
S14 5	17211	(first and second) adj (view display access) and @ad<"20030724"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/26 20:30
S14 6	13518	(first same second) adj (view display access) and @ad<"20030724"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/26 20:30
S14 7	390	(first same second) adj (view display) same access\$4 and @ad<"20030724"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/26 20:31
S14 8	13	(first same second) adj (view display) same access\$4 same automatically and @ad<"20030724"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/26 20:31
S14 9	2	"6115471".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 12:38
S15 0	2065637	password near3 (protect\$4 or access\$6) and wireless or handheld or portable and authenticat\$7 or secur\$7 and @ad<"20030724"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 12:39
S15 1	413	password near3 (protect\$4 or access\$6) same (wireless handheld portable) same (authenticat\$7 secur\$7) and @ad<"20030724"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 12:41
S15 2	222	password near3 (protect\$4 or access\$6) same (wireless handheld portable) with (authenticat\$7 secur\$7) and @ad<"20030724"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 12:41
S15 3	102	password near3 (protect\$4 or access\$6) with (wireless handheld portable) with (authenticat\$7 secur\$7) and @ad<"20030724"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 13:16
S15 4	30	"20020066039" "6,296,191" "20010053688" "200210073340" "200310061503" "6,516,421" "200110022839" "200210137530" "7,024,690"	US-PGPUB; USPAT	OR	ON	2007/05/28 12:47

EAST Search History

S15 5	5	"5802875"	US-PGPUB; USPAT	OR	ON	2007/05/28 12:47
S15 6	6	"5802275"	US-PGPUB; USPAT	OR	ON	2007/05/28 12:48
S15 7	411	pda same access\$4 same automatically and @ad<"20030724"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 13:17
S15 8	2	pda same access\$4 near restrict\$4 same automatically and @ad<"20030724"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 13:17
S15 9	3	pda same access\$4 with restrict\$4 same automatically and @ad<"20030724"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 13:17
S16 0	125	pda same access\$4 with restrict\$4 and @ad<"20030724"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 13:18
S16 1	84	pda same access\$4 near3 restrict\$4 and @ad<"20030724"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 13:18
S16 2	1	10/616370	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 17:07
S16 3	0	10/616370 and display43 with access\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 17:07
S16 4	0	10/616370 and display43 with access\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 17:07
S16 5	1	10/616370 and display\$3 with access\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/28 17:07